MISSOURI BOTANICAL GARDEN

PETER H. RAVEN LIBRARY

GEORGE ENGELMANN BOTANICAL NOTEBOOKS



Pagination Note:
Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

abnormis (Cer) Sweet
—— (Cact.) Willd. en. suppl. 31 = peruv. monstros. fide DC. Pr. 464
S.46. S.46

~~Acanthion~~ (E) ~~Hort. Dar~~ Salm. ... C. Stocott. H. Dyck ?
S. 31. 161 Lab. 225 (F 292 = ex sculptus Lab.) fide Pf. 65

acanthocarpa (O) E & B in C.W. 54. t. XVIII 1-3. XXIV. 11.
Syn 52 W. A V 56

acanthodes (E) Lem. Cact. mon. p. 106 (1838) W. A. II. 318 (Californica ?)
Lab. 194 F. 288

acanthodes (E) Lem. Cact. gen. nov. p. 106. Lab. 194 ?

acanthophlegma (M) Lehm. Delect. Sem. Hamb. 1833. Pf. 26 Mexico
Pfr. Enum. p. 26. w. A. II. 289 S. H. D. 86 Fst. 193 Jacq. pl. n. III. 105. S. 9. 86

acanthostephes (M) Lehm. in Gartztg. 1835 p. 228 Pf. 16 w. A. II. 286 Mexico
S. H. D. 136 Pfr. 16. F. 250 S. 20. 136

acardia (Peir) Parm. = aculeata fide ~~Steud.~~
Pfr. 176

acicularis (M.) Lemaire Cact. gen. nov. (1839) p. 34. ~~Lab~~ Lab p. 53. W. A. II. 300 F. 202 ?

aciculata (M) Otto .. .ex Pf. 29. W. A II. 290 & A. G. J. 1848 p. 201 = polythele var. p. F. 215 Mexico
S. 15

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI
BOTANICAL
GARDEN

14765

MISSOURI
GEORGE ENG LMA

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI
BOTANICAL
GARDEN

aciculatus (E) Salm H. D. 1834 p. 341 – Pf. 56 – W R II. 310 / Ic ex Sd Brasil
Malacoc. S. 25 ~~Pf. 51~~ Lab. 172 Foerst. 341

acidus (Ech) Eng = 116
acida Op weber 491

acifer (E) Hopfr. = ? Wippermanni Mühlpf. S. 31
~~S. 41~~ Foerst. 3158 520 / Lab. 226

acifer (Cer) Otto nom ap F. 433 Mex
S. 42. 189 Lab. 315.

acinaciformis (C) Hort. Ber. = cinerascens fide Pf. Sland & Lab.

aciniformis Cer. H. Berol = C. cinerascens var crassior fide Pf. 101

Ackermanni (Cer) Hort. Berol. ex = (Epiphyllum Ackerm. Haw. the oldest name!) Phil Mag (1829 August) ~~[illegible]~~ Bot. reg. t. 1331) Mexico
~~L. 55~~ Lab. 409 (Pf. 123) = Phyllor. Ack. Salm. 55 Bot Mag. 3598 F. 437

Ackermanni (Phyll) (Haw synops. ?2) Link ms fid. W A II. 341 Bot Mag t. 3598 Bot reg. t. 1331
S. 55 Lab. 410 F. 437

TANICAL GARDEN
ENGELMANN PAPERS

acroranthus (Ech) Stieber, BZ. V. (1847) 491. W A I. 334 M

acromelas (Cer) (H. Berol Ind. Sect.) 1833 = C. crenulatus Salm fid Pf. 87

actinoplea (M) Ehr. BZ. 1848. 266 W A II. 673 Mx

acuatus (E) Link & Otto Abb (1827) p. 15 t. 23 (V. d. G. B. V III. 424) DC. Pr III. 463 Montevideo
(malacoc.) S. 25 Pf. 54 W B II. 311 Foerst. 341 B. spinosior Lem ... = E. Courantii F. 337

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

aculeata (Pesk) Mill. Dict. Haw Syn 198 Plum gen t. 26
Plum. gen nov. 37. Ind occ.
S. 76 Bot. Mag. t 1928 Pf. 175 } W A II 355 Lab. 503 F. 512

aculeatus (Cer) H Berol. nom. ap. F. 433

aculeatissimus (Cact) Zeyher nom. ap. DC. Pr. III. 476

acutangulus (E) Zucc ...... = oxygonus fide ~~St. Lab~~ Pf. 55.
S. 25 ~~Lab.~~ 169 ~~F. 338~~

acutangulus (Cer) Hort. Ber. ex ..) W A II. 334 Mexico
(P) S. 49 (Pf. 107) Foerst. 406 Lab. 345

acutifrons (Phyll) autor? nom ap. F. 341

acutissimus (E) ~~Hort~~. Berol. Link & Otto A. G. J. 1835 p. 353. Chili
(S. 33 Pf. 64 Lab. 241 Pf. Abb. t. 20. W A II. 314) F. 294
acutissimus H Hanb. = exsculptus F. 292
Gay Fl. Chil III p. ..

adunca (M) Scheidw. in litt. = uncinata Zucc. fide Salm. p. 16

adustus (Echinoc) Eng. Wisl Rep 1848 note 29. W. A III. 869 Chihuahua
= Cer. Eng. Pl. Fendl. p 50 note
(Cer) S. 42. 191 Lab. 319 Syn. 24 W A. 43.

adversispinus E. Muhlenpf. A. G. J. 1848. 10 W A II. 182 Mx

Aequicaulensis (C) Hort = geometriz[illegible] Mart fide ~~Haw~~ Pf. 90

aeruginosa (M) Scheidw. A. G. J. 1840. 338 = villifera var. fide Salm p. 16 W A II 298
= Karwinskiana var fide F. 224

Aethiops (Cer) Haw Phil Mag. 1830 p. 109 = ? coerulescens fide Haw & Salm Pf. 85
S. 45 ~~Lab. 334~~

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

14766

MISSOURI BOTANIC
GEORGE ENGELMA

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI
BOTANICAL
GARDEN

affinis (C) H. Berol (non = v. d. gd v. VI. 432 (1830) Brasil) = virens DC fide F. 387 Lab. 359
affinis (C) Hort = variabilis fide Lab. ~~359~~ 376
H. Berol = virens DC fid. Pf. 99

affinis (M) DC. Mem p.n. t. 6 (1834) Pf. 11. W. R. II. 285 Mexico
Lab. 52. Pf. 11 F. 215 S. 15
(Cer) H. Berol

agglomeratus (Echc) Karw. Journ. pl. n. III. p. 126.

agglomeratus (Mel, E) ~~Mel~~ Hort Karw. = E. spinalis fide Pf. H. Lab.
= E. robustus fide Lab. robustus var fide Pf. 61.

aggregata (M) Eng in Emory Rep. 1848 p. 155 fig. 1. = Cer. sp. (enneacanthus?) N. Mex.

BOTANICAL GARDEN
ENGELMANN PAPERS

Alacriportanus (Cer) Hort. Monac. ex Pf. 87 W. R. II. 329 Brasil
S. 41 ~~Pf. 388~~ Lab. 357 Foerst. 388

alatus (Cact) Swartz Fl. ind. occ. 2. 878. (1800
(Epiph) Haw. suppl. 84 1819 (? Pf)
(Cer) DC. Pr. III. 470 = Rhips. Swartziana Pf. enum. 131. Jamaica

alatus (Cact) Willd. en. suppl. 35 (1813) Coll. Hort Ripul. t. 20 (non Swartz)
= Cer. phyllanthoides DC. III. 470

alatum (Epi) Haw. suppl. 84 (1819) = Rh. pachyptera fide Pf. 132 (= ~~Rh. Swartziana Pf.~~
= Cact. Bot. mag. t. 2820

alatus (C) Link & Otto Icon. t. 39 = Rhipsalis pachyptera fide ~~Steud~~ Pf. 132
(Cact. alat. Bot. Mag. t. 2820)

albatus (E) Muhlenpf. A. G. Z. 1846 p. 170 ~~A. dietr. fide~~ W. A. I. 332 Mx
S. 31. 162 Lab. 226

albicans (O) Salm H. D. 1834. p. 361 W. R. II. 349 Mexico
S. 67. 237 (Pf. 155) Foerst. 486 Lab. 664

albida (M) Haage ~~Cat. Cat. 1836.~~ ex Pf. 28 W. R. II. 289 Mexico
~~Pf. 28~~ Lab. 40 = discolor Haw. var fide S. 11

albiflorus ( ) hybris Otif fid. Lab. 400.

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

albisetosus (C) Haw. revis (1821) p. 77. DC. Pr. III. 468 Pf. 115. W.A.II. 336 Haiti
(Cactus) Spreng. { suppl.? 1819 (Pf.)

albispinus (Cer) Salm obs. bot. 1822. p. 5. DC. Pr. III. 465. Pf. 85. Am. austr.
W.A.II, 328 F. 382
S. 425 Lab. 341

alfagayucca (O) Karw. = amyclaea fide Salm 68 fide Lab. 468
= albicans fide Lab 463
S. 68

Allardtianus (Ech) A. Dietr. G.Z. 1847. 178 W.A.I. 324 Mx

aloides (M) Monv. Cat. 1846 = Anhalonium prism. fide Lab. 152 Mexico

alpina (M). Mart. Act. Acad. Mon. f. Oaxaca, Mex.
~~Lab~~. 26. (S. r. 79)

alpina (O) Gillies = Tuberosa fide Pf. 146.
& S. 72

Altensteinii (Ep) Pfr. en. 1837 p. 128. W.A.II. 342 Pf. Abl. I. 28 Brazil
S. 57. 225 var of E. truncatus F. 445

alteolens (Disc) Lem. Hort. univ. Lem. in A.G.Z. 1846. 202. W.A.I. 335 ?
S. 24. 140 Lab. 166

alternata (Hariota) Lem. Hortic. univ. t. 50 = Rh. paradoxa S.
& S. 60. fide F. 453

amabilis (M) C. Ehr. G.Z. 1849. 326 W.A.II. 679 Mx

ambiguus (Cact. Bonpl. descr. pl. rar. cult. Malmaison & Navarre (1813) ?
Cer. DC. Pr. III. 467 (S. 44 Pf. 104 W.A.II. 334) Lab 36

~~ambiguus (Cer) DC.~~ & repandus Haw. f. S. 44
~~(Cactus) Bonpl.~~

ambiguus (Mil) Hort = Cer. leucanthus Pf. 71 ... = Eps. campylacantha Pf. fide F. 369

ambiguus elegans (E) Hort = Echinopsis campylacantha Pfr. fide Lab. 305

ambigua (M) G. Don (St.) } Chili
—— (Cact.) Gill. (non Bonpl.). }

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

14767

MISSOURI BOTAN
GEORGE ENGELM

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI
BOTANICAL
GARDEN

amblyogonus (C) Sweet Am. aust.

~~amoenus~~ (Melոc) Hoffmansegg . . ex . . Pf. 43. Miq. Mel. 145 Columbia
F. 263 S. 21 WR II, 306

amoena (Cps) ~~Scheidw.~~ in G. J. 1844. 187. W. R III. 818 Mx
Dietr. ibid! f. E.
(S. 38. 180
Cer. Ehrenbergii am. G. G. J. 1855. 338. E. amoena Dietr. = pulchella var fide 7 364

amoena (M, Hpfr
(S. 12. 99.) Lab 47 ?

Amyclaea (O) Tenore Flor. Nap. app. 5. (1826) p. 15 (fide DC.) DC. Pr III. 474 Ten. Syllog. p. 240 (1831) Italia
S. 68. 240 Pf. 159 WR II. 350 Först. 485) Lab. 456 Guss. Fl. Sic. 1. 550 (1842

BOTANICAL GARDEN
ENGELMANN PAPERS

anancistria (M). Lem. Cact. (1839) p. 39. W.R II. 286 = decipiens Scheidw. fide S. 7

ancistracantha (M) Lem. Cact. gen. 36 W. R II. 295 = raphidacantha Lem. fide S. 19.

ancistrata (M) Pf. fide Salm (1844) p.

ancistrina (M, Hort. Pfr. = ancistroides Lem fide S. 10.

ancistroides (M, Lehman delect. sem. Hamb. 1832 glochidiata fide ~~Steud.~~ Mart. Pf. 36.

ancistroides (M) Lem. Cact. 38 ~~Hamb. 1832~~ . S. 10. 90. Lab. 31 F. 211 = ~~glochidiata~~ W. R II. 296 ?

anironianus (E) Hort. Sweet. Aurora

ancylacanthus (E) Monv. Cat = uncinatus fide Lab. 201

andicola (O) H. Angl. ex p. W R II. 346 ~~Chile~~ Mendoza
S. 70 (Pf. 145) Först. 467. Lab. 482 Gay Fl. Chil. III. andicola fulvispina Lem = longispina Haw Först. 468

andicola (O) Hort = glomerata minor (fide S. 71)

Andreae (M) Otto . . . . . = rhodantha var. fide ~~Steud.~~ Pf. 31.

anfractuosus (E) Mart. ex p. Jour. pl. n. III. 128 W R II, 313 Mexico
S. 31. 159. (Pf. 63) Först. 306 Lab. 220

anguinea (M) Otto ex
S. 12. 101. Lab. 69. nom. ap. Först. 241. Mexico

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI
BOTANICAL
GARDEN

angularis (M) ~~Otto~~, Hort. Berol. (nom = V. d. G. V.VII. 430 (1830) (nom = [illegible] III. 450) Mexico
Pf. 12 Foerst. 233 S. 18. 125 W.R. II. 285

angularis (Phyll) Lem. Hort. univ. = anguliger Lem?
vide Lab. [illegible] p. 676

anguliger (Phyll) Lem. Jard. fleur. ~~I. 6.~~ Ic. 21., 1851 fide Labouret Mexico [illegible]
fide [illegible] & [illegible]. Hgew. p. 177. t. 34. W.A. II. 685 (citat Lem. J. fl. I. 6
Lab. 410

angustata (O) E & B = C.W. p. 39 t. VII. f. 3-4 & t. XXII f. 11. Syn. 36 W.A. V. 50 N. Mex

anisacantha (M) Hort. = subpolyedra fide Pf. 17 = polyedra fide S. 17
Monv. Cact. = polyedra var. fide Lab. 105
Hort. = subpolyedra fide Lab. 103. & Steud.

anisacanthus (C) Dec. Rev. 1829. p. 116 Pf. 96. W.A. II. 331 = gemmatus? Pf. Cat. 96. Mexico

anisogonus (Cer) H. Angl. nom ap. F. 424
(S. 52 = triangularis fide)

Antoini (C) H. Vindob. = nycticalus fide Pf. 114

aoracantha (O) Lem. (Hort. Monv. 1838 p. 34) W.A. II. 754 ?
S. 71. 246 Foerst. 469 Lab. 485

applanata (M) Engelm. Bost. J. N.H. 1850 VI 198 (Pl. Lindh. II) Texas & N. Mex.
S. 14. 109. Lab 84. = M. Heyderi var. fide Eng. Syn. p.

arachnoideus (E) Scheidw. Bull. Brux. VI. 2. p. 4 W.A. II. 323. Mex

araneifera (E) Lem. Hort. univ = Odieri var fide Lab. 218

araneolarius (Ech) Reichb. = Tersch. Suppl. p. 2. W.A. II. 317 Montevid

arborea (O) Steud. Nom. 220 Cact. arboreus Arrab. Brasil.

arborescens (C) Eng. Wisl. Rep. 1848 note 5. Eng. Em. Rep. 1848 p. 157 / 10 N. Mex
W.A. III. 896 Eng. = M. Fendl. 52 = stellata S. fide S.
S. 73. 250. Lab. 492 Pl. Lindh. II. p. 208

arborescens (O) E. = E & B = C.W. 51 t. XVII. f. 5-6. XVIII. 4 XXIV. f. 12
E. = C.B. 58. t. 77. f. 16-17 Syn. 51. W.A. V. 52 = ? rosea & imbricata DC. f. E. C.B. p. 77

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

14768

MISSOURI BOTANICAL G
GEORGE ENGELMANN P

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

arbuscula (O) E. in CB. 60 ✝ Syn 53. W. A. V. 57 Arizo.

arcuatus (C) Hort. Suec. ?

arenaria (O) E. in CB. 52 (F. 75 f. 15 &77) Syn 45 W A V 53 N. Mex

Arequipensis (C) Meyen Reise. II. 41 (1834) Pf. 89. W A II. 329 F. 390 Peru

argentea (M) Fennel G. Z. 1847. 65 W. A. I. 330 ?

ANICAL GARDEN
LMANN PAPERS

arietina (M) Lem. Cact. H. Monv. 1838. = magnimamma var fide F. 235 & S. 17

armatissimus (Ech) Trenk in Haage Cat. 1860 p. 7. Peru - Columbia

armatus (Cer) Otto in Cx. Pf. 81. W A II. 326. St. Thomas
Kef. S. 46 = Royeni armatus H. Berol = C. Royeni Haw F. 383

armatus (E) Salm H. D. 6 p. 341 Pf. 61. W. A II. 313 ~~Steud. 536 M. ?~~ ?
= Ech. ferox Pf. fide F. 519.

Arrabidae (C.) Steud. nom. 333. Brasil
Cactus triqueter Arrab.

arrectus Otto (E) = arrigens var fide Lab.
Forst. 346 Lab. 225

arrigens (E) Link & Otto ex A. Dietr. in G. Z. 1840. 161 W A II. 318 Mexico
S. 31. 161 Pf. Abb. II t. 27 Lab. 225 F. 313

arrigens (E) Dietr A. G. Z. 1840 p. 161 = arrigens Link var. fide Lab.

articulatus (Cer) Pfeiff. enum. 103 W. A II. 333 = Opuntia Turpinii Lem. ~~Chile~~
(O) H. Berol. Otto G. Z. 1837 p. . . no 46. = Cer Pf. 103 fide Salm 71 Mendoza
~~F. 71~~

articulata (O) Hort Berol. = Cereus artic. fide Steud.
Otto A. G. Z. 1833. = Op. Turpinii fide Lab. & O. polymorpha H. Angl. fide F. 472

asellifera (M) H. Monv. Cat 1846 = Pelecyphora aselliformis fide Lem. 149

aselliformis (P) Ehrenb. in Bot. Zeitg. I. 737 (1843) W. A II. 822 Mexico
S. 5. 78. Lab. 148. Forst 257 (= Mamillaria [illegible] . . .)

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
Missouri Botanical Garden

assurgens Wright (Cereus) Cuba in Griseb. Catal.

Asterias (E) Karw. mss. ap Zucc. (Abh. Ac. Mon. 1845. vol. IV) p. 13. t. 3. W. ~~A~~ I. 974 Mexico
(Pl. nov. fasc. V in)
S. 29. 155 Lab. 206

Asterias (M) Cels. Cat. ex ?
S. 19. 129. / Lab. 132

ast
asteriflora (M) Cels (nom. ap F. 254) Lab. 34. ?

asteriflora (M) Hort. & Monv. Cat. 1846 = Asterias fide Lab. 132

atrata (M) Hort. Mark ex Hook. Bot. Mag. t. 3642 W. A. II. 295. ad rhodanthum?? Chili
Gay H. Chil. III p. ..

atrata (~~M~~) Hort. atratus (M) Hort. Berol. = rhodantha fide Pf. 31 Lab. 45 [ap. DC. pr. 460 nomen solum]

atrorubra (M) Ehrb. G. Z. 1849 228 W. A. II 679 Mx

atrosanguinea (M) C. Ehrenb. G. Z. 1849. 270. W. A. II 677 Mx

atrosanguineus (Mel) H. Berol. .. ex. Pf. 44. Miq. Mel. 162 (1841) St. Thomas
W. A. II. 307 F. 265
1843 1846

atrovirens (Mel) H. Berol. nom. ap F. 279

atrovirens (Cer) H. Berol. nom. ap F. 433

Auberi (O) Pfr. Allg. G. Z. 1840 p. 282 W. A. II. 354 Cuba
L. Hispalea A. S. 74. 233 Lab. 450 F. 494

aulacogonus (E) Lem. Cact. n. g. 1839 p. 14 W. A. II. 316 F. 322 ?
S. 27. 148 Lab. 190 = jiguy fide [illegible]

aulacothele (M) Lem. H. Mon. 1838. p. 8 = macrothele Mart. fide S. 19.
W. A. II. 302 F. 244

aulacothele (Mam) var multispina Scheidw. Bull. Ac. Brux. VI. 2. W. A. II. 302
var sulcimamma Pfeiff. G. Z. VI. 274. W. A. II. 302

aurantiaca (O) Gillies in Lindl. in Bot. Reg. t. 1606. A. G. Z. 1833 p. 349 Chili
(S. 70. Pf. 147 & Foerst. 476) W. A. II. 347 Lab 479

aurantiaca (C) hybr. Haage Lab. 400

auratus (E) Pfeiff. (B. Z. V. 1847) 373 W. A. I. 333 in Abh. II. nro 14 note & Chili
(Cp.) S. 39. ~~Lab.~~ 303

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

14769

MISSOURI BOTANIC
GEORGE ENGELMA

aurata (M) Hort. = rhodantha f. Pf. 7/31 Lab. 45
aurata M. H. Berol [cognit. DC. Pr. III. 460 nomen solum]

aurata (Eps) Salm. (Ech. aurea Pf.) Abb. 2. T. 14
S. 39. 182

aurea (~~M~~) Hort. Pfr. = rhodantha var. F. 198 Lab. 46.

aureus (Cer) Salm. ~~Hff~~ ap. DC. Pr. III. 465 Pf. 83. W.R.II. 328 ?
S. 46 Pf. 83 Först. 385 Lab. 348
— β. pallidior. Hort Dyck. . . . . = C. Celsianus Salm fide Pf. 84

aureus (Cact.) Meyer Reise um die Welt I. 447. (1834) A.G.Z. 1833. p. 211
(Echc.?) ~~Pf.~~ Pf. 68 W.R.II. 315 Peru

~~aureus (E) Meyen ex Pfeif. 68 W.R.II. 315~~ Stand. 536. Peru

auriceps (M) Lem. ~~Cact~~ H. Mon. 1838 p. 8 rhodantha var. S. 11
= Pfeifferi Booth fide F. 199 W. R. II. 300

auricoma (M) A. Dietr. in G.Z. 1846. 308 W.R.I. 232 M x

auricoma (M) Ehr. G.Z. 1849. 295 M x

auricoma (M) Ehrenb. = Hermanni var S. 8

auriculata (M) Hort.

aurorea (M) C. Ehrenb. G.Z. 1849 303 W.R.II. 678 M x

autumnalis (M) Dietr. A.G.Z. 1848 p. 297. ?
S. 16. 119 Lab. 107 var of mutabilis? S. 119

azureus (C) Parm. cat. ex) W.R.II. 328 Brazil
S. 45 Pf. 86 Först. 381 Lab. 340

BOTANICAL GARDEN
ENGELMANN PAPERS

badispina (M) Först. = Hort. Haage 1860 p. 2 ?

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

barbata (M) Eng. Wisl. Rep. (1848) not. 34 W. A. III. 894 Chihuahua
S. 7. 82 E. in C.B. t. 6 f. 9–12 Syn. 5 W. A. V. 34

barbatus (Cer) Willd. = C. floccosus H. Ber. f. F. 383
—— — H. Berol. nomen ap. F. 333

basilaris (O) E & B. in C.W. 43. t. XIII. f. 1–5. XXIII f. 14 E. in C.B. 52
Syn. 42. W. A. V. 52

Baumannii (Cer) H. Paris ~~nom. ap. F. 409~~) S. 50. 214 ?
— — — (Muhlenpf. in A. G. Z. 1848 p. 11)

Baxaniensis (Cer) Karw. ex. Pf. 109. W. A. II. 335 ?
Baxanus (Cer) Karw. Icon. pl. n. III. 134) F. 406 S. 49 Cuba

bellatula (M) Först. G. Z. 1847. 50 W. A. I. 330 Mx

Beneckei (M) C. Ehrenb. B. Z. II. 833. G. Z. 1844. 401. W. A. III. 811 F. 210 Mx
—— — ?? Goodrigii Scheer fid. S. 10. = (cant be)

Beneckei (Cer) C. Ehrenb. in B. Z. II. 835. S. in G. Z. 1845 p. 355. W. A. III. 819 Mx
(f. F. 396 = C. farinosus)] S. 48. 209 Linnaea 19. 341. 347 1847

Bergenii (M) Chab. G. Z. 1849. 226. W. A. II. 679 Mex?

Bergii (M) Miq. Comm. phyt. III. (1840) p. 104 W. A. I. 293 ~~= [illegible]~~ Mex
Bertinii, Cels (Echinocereus) Patagonia
Berlandieri (C) E. in C.B. 38 t. 58 & p. 76 Syn. 30 W. A. V. 46 Tex
Berteri (Ech) Colla ex Gay Fl. Chil. III p.
Besleri (Mel) Link & Otto diss. 1827 p. 11 t. 21 (U. III. 420) Pf. 41. Miq. Mel. 131. t. 4. f. 2. 1839 Brasil
= Discocact. Linkii Pfeiff. (1837) N. Act. XIX ... fide Pf.) W. A. II. 305

Besleri affinis (Mel) Hort. = Ech. spiralis fid. Pf. 60.

bicolor (M) Lehm. Delect. sem. Hamb. 1830. Linnaea. VI. Litt. p. 11.
Pf. 27. W. A. II. 289. F. 197 (S. 9. 89 Pf. Ab. I. t. 3) Mex
Syn. 5 W. A. 35

bicolor (E) Galeotti mss (Hort. ap. F. 288) S. 35. 173 Pf. Ab. II. 25 Mx
var. Schottii E. in C.B. 27 Syn. 21 W. A. V. 41

bicolor (Cact) Berlandier in Memorias de la Comision, Matam. 1832 = Ech. setispinus

biformis (Cer) Hort. = C. radicans DC fid Pf. 114

biformis (Cer.) Lindl. Bot. Reg. XVI. pl. misc. 66. 1843 (Phyllocact) Lab. 418 Honduras
(Disocact) Lindl. Bot. reg. XVIII. t. 9. W. A. II. 817) F. 112 S. 57. 22

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

14770

MISSOURI BOTANICAL GA
GEORGE ENGELMANN PA

bifrons (Cer) Haw suppl. 76 = Cer. speciosissimus Desf. fide DeCr.
= C. coccineus Salm fide Pf. 122 S. 53.

bifurca (M) A. Dietr. = G. J. 1850. 188. W. A. II. 680 Mx

Bigelovii (O) E. = C. W. 50. t. XIX. — Syn. 51 W. A. V. 56 n Mx

biglandulosa (M) Pf. = G. J. 1838. p. 274 W. A. II. 302. F. 245. 518 Mx
= M. Clava var. f. S. 19.

bihamata (M) Ott. nom ap F. 254

Bihamata (M) Pf. = G. J. 1838. p. 274 W. A. II. 298 = uncinata var fid F. 223 & S. 16 Mx

binops (M) Haage nom ap F. 254

Blankii (C) Poselg. G. J. 1853. 134 Camargo Mx.

Bleo (Cact. Peresk.) HBK. n. g. sp. VI. 69 (1823) Kunth Syn III. 372 Mx. to N. Granada
(P) DC. Pr III. 475 Pf. 176. W. A. II. 356 F. 514 (F. 76) (Pf. M. I. t. 30)
? cact. Torrey Ann Lyc. N.Y. II p. 202 = O. arborescens (Bot. reg. t. 1473. Bot. Mag. t. 3478)

Borasana (M) Poselg. G. J. 1853. p. 94 Mx
Bockii (M) Foerst. G. J. 1847. 50. W. A. I. 330 Mx

Boeckmannii (Cer) Otto (nom ap F. 418.) S. 51. 217 ?

Boliviana (O) S. = G. J. 1845. p. 388. W. A. III. 821 S. 71. 245 Bolivia

Bolivianus (Ech) Pfeiff. Abh. II. nro 14. note Bot. J. V. 1847. 374. W. A. I. 333 = echinoides fid Pf. abh. II. 29 Bolivia

Bonariensis (Cer) Hort = C. Alacriportanus f. F. 388

Bonplandii (Cact. Opuntia) HBK. n. g. sp. VI. 69 (1823) Kunth Syn III. 372 Quito
= O. Tuna fide DC Pr III. 472 & S. 66.

Bonplandii (Cer) Parm. Lx. Pf. 108 W. A. II. 335 Brasil.
F. 404 S. 48

Bonplandii (O) Mittl. = O. Tuna fid F. 491
— Hort = O. Tuna laevior. fide S. & F. 492

ICAL GARDEN
ANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

Bueckii (Sch) Klein ex Regel Gartenflor. 8 p. 257 t. 266 (1859)

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

Boutillieri (Echin) Parm. = Ech. Schelhasii fide Pf. 73.
Ech. — f. S. 68

Bowtrianus (C) . . . C. speciosus — var. s. hybr. S. 53

brachiata (Rh) Hook bot mag t. 4039. (1843) = Saglionis fide W A II. 936. & S. 61 Bonaria

brachiatus (C) Galeotti . . . . f. S. 44. 195 Mx

brachyanthus (O) E a B = CW 47 t. XII. f. 9. Syn. 46 W A. V. 54 N Mx

brachycentrus (E) S. 31. 160 ?

Bradypus (Cact.) Lehm ind sem H Hamb 1826 p. 17 = C. senilis fide DC Prod
— Act. N Cur. 1837. p. 315. t. 12

Brandii (C) H Angl = variabilis var f. S. 49

Brasiliensis (Cact) Willd. en. sup 33 (1813) Bras
Haw suppl. p. 79 (C) DC. Pr III. 474 DC. Rev. 73. Pf. 168. W A II. 352 Bot mag. t. 3293
F. 499 S. 74 Pf Ab. I t 29

brasiliensis (Peir) H. Hamb = P. aculeata var lanceolata fide Pf 176
brevibarbe Lepismium
breviflora (Eulychnia) Philippi Flor Atacam 1860 p. 23 t. II. A.

brevihamatus (E) E in CB. 19 t. 18 & 19 (probably = Scheeri S-less) Tex
Syn 15 W A V. 38

brevimamma (M) Zucc. ex — Pf. 34. W A II. 291 Mx
F. 247 S. 19. 130

breviseta (M) Ehrb. G. J. 1849 251. W A II. 676 Mx

brevispinulus (Cer) Salm in Ind. pl. succ. 1834. p. 24 = nycticalus

Bridgesii (E) Pf. Abb. II t. 14. S. 26. 144 Bolivia

Bridgesii (Epi) S. 28. 181 Bolivia

Bridgesii (C) S. 48. 208 Bolivia

Brongniartii (Mel) Lem. H Monv. 1838. p. 12 Miq. Mel. 148 ?
W A II. 306 F. 262

Brongniartii (M) H. Paris = microthele β. f. S. 9
— (Melocactus) sine auctore sp. mort in Mus Paris

bulbispina (O) E in CB. 55. t. 73. f. 5-6 Syn. 48. W A V. 55 Mx

bulbosa (O) E. Wiss = O. fusiformis fide Syn. 41

bumamma (M) Ehrb. G. J. 1849. 243. = elephantidens var. fide Linke G. J. 1850 p. 91 & S. 20 Mx

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

14771

MISSOURI BOTANICAL
GEORGE ENGELMANN

Cachetianus (E) Cels = E. setispinus ex Salm. 29

caesia (M) Ehr. B.Z. 1849. 251 = spinosissima var δ brunnea S. 8 Mex

caesius (Cer) Salm. ex — [Pf. 89. WA II. 329] F. 394 S. 47. 205. ?
— — Pf = Jamacaru fide Salm in F. 400 & S. 48

caesius (Mel) H. L. Wendland ex. Miq. Mel (1841) 184. WA II. 308 F. 263 Columbia

caespititia (M) DC. Rev. (1829) p. 112 Pf. 35 WA II. 291 Cult. Mex
F. 204 S. 10. 90

caespititia (M) Hort. multiceps S. f. S. 7

caespititius (E) Pf. = ubi? horripilus Lem. f. F. 283 S. 35

caespitosa (M) H. Berol. [apud DC. Pr. 460] nomen solum] = echinata var densa
F. 239

caespitosa (Op) Raf. Atlantic Journ. (1832) Nro 4 p. 147. = O. Rafin. Kentucky
Pf. 146 (erroneously Nutt) WA II. 347
— Op. Poeppig in Herb. plur.

caespitosus (Cer) Eng in Bost. Journ. N.H. 1845. V. 247. (Pl. Lindh. I. p. 39) Texas
Pl. Fendl. p. 50 note
and ibid 1850 VI. 202 (Pl. L. II)
— (Echcer) Eng. Wisl. Rep. 1848 note 45 WA III. 896
S. 42. 191 E. in C.W. p 32
S. 24 WA V. 43. E. = C.B. p. 32 t 43 & 44
[illegible] 1852. 47

calamiformis (Rh.) Hort = Rh. funalis Salm fide Pf. 135

calamiformis (Rh) Hort. — Miq. Bull. Neerl. 1838 p. 49. = Rh. funalis

calandriniaefolia (P) H. Berol = [P. Pititache Karw. f. F. 571
S. 76. 252

calcarata (M) Eng in Bost Journ N.H. 1850 VI. p. 195 (Pl. Lindh. II). Texas
S. 20. 121 E. in C.B. 14 t. 74. f. 1 Syn. 11. WA V. 37

Californica (O) Eng. Emory Rep. 1848 p. 157. f. 11 Gila

Californicus (Cer) Nutt in Torr & Gr. Fl. (1840) I. 555. = Opuntia? cylind Calif

Californicus (Ech) Monv. ex S. 27. 149 Calif

Callicoche (Cer) Scheid. Bull Brux VI. n. 2. WA II. 338 Mex
Galeott fide F. 326 = E. myriostigma F. 316. S. 29.

calva (O) Lem. H. Monv. 1838 p. = O. polymorpha H. Angl. fide F. 472
— Cer. Eng. Cat. Gall. Calif = Turpinii var polymorpha S. 78

calvescens (Cer) DC. Rev. 1829 p. 116 Pf. 89 WA II. 329 Cult Mex

NICAL GARDEN
LMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI
BOTANICAL
GARDEN

Camanchica (O) E & B. = C W 40. t. IX f. 1-5 t. XXI f. 12-15. Red River Country
Syn. 37 W.A. V. 50

Campechianus (Cact) Thierry de Men. nom. ap. DC. Pr. III. 476

Campechianus (Cact) Dict. Sc. Nat. VI. 203 = O. coccinellifera fide Pf. Abb. I. 24

campylacantha (Eps) Pf. & Ott. Abb. t. 4 = not. W. A. II. 325 S. 39. 182 F. 369 Mendoza
= Cer. leucanthus Pfeiff. en. W.A. II. 325. Bot. mag. 4567

campylacanthus (E) Scheidw. = G.J. 1840. 337 W.A. II. 318 F. 321 Mex?
= macrodiscus Mart. f. S. 28

candelaber (Cer) Weber mss.

candelabriformis (O) H. Monac. ex Pf. 159 W.A. II. 350 Mex
F. 490 S. 68. 241

candelabrius (Cer) Hort. = C. tenellus Salm fide Pf. 109

candelaris (Cer) Meyen Reise I. p. 447 (1834) A.G.J. 1833. p. 211 Peru
Pf. 89 W.A. II. 329

candicans (Cer) Gillies ex. H. Dyck (1834) p. 335 Pf. 91 Mendoza
W.A. II. 330 F. 376 S. 43 Gay Fl. Chil. III ...
= (Echin) Hort. fide Pf. 91
β. tenuispinus. Pf. 91

candida (M) Scheid. Bull. Brux. V. 496 W.A. II. 297 = Sphaerotricha Lem. fid. F. 191 & S. 8 Mex

Candollii (Cer) Pfeiffer = V. d. G. B. V. XV. p. 4. (1838) =
= Cer. Peruv. DC Pl. grass. t. 58 non Lin. & aut.

canescens (M) G. A. Jacobi = G.J. 1856 p. 90 ... (non omnino fide J.) Mex

canescens (Cact) Moc & Sess. ined. DC. Pr. III. 459
——— (M) H. Berol [apud DC. Pr. 460 nomen solum] = grandiflora Otto fide Pf. 33.

canescens (M) Hort = discolor Haw fide Pf. 28

cantera (M) Haage nom. ap. F. 254

capricornis (Ech) Dietr. = G.J. 1851. 274 & Poselger = G.J. 1853. 107 Rinconada Mex

Caput Medusae (M) Otto .. ex. .. Pf. 22. W.A. II. 287 F. 221 Mex
S. 15. 113.

Caracasana (M) Otto nom. ap. F. 219 S. 14. 107. Caracas

Caracasana (O) S. 67. 238 Caracas

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

14772

MISSOURI BOT
GEORGE ENGE

Caripensis (Cact, Cer) HBK. n. g. sp. VI. 66 (1823) Kunth synops III. 370. Nov. And.
DC. Pr III 467 Pf. 114. w A II. 336

carnea (M) Zucc (in. mss) ex. Pf. 19. Zucc. pl. n. III. 116. Mexico
w. A. II. 287. F. 220 = villifera β. carnea S. 16

Carmyrita M Stieb. ABZ. 1852 106 1853. 97

Cassutha (Rhips) Gaertn. Fruct. I. p. 137. t. 28 (1788) Haw. Syn. (1812) 186
DC. Rev. p. 80 DC. Pr III. 476. Pf. 133.

Cassytha (Rh) β. Hookeriana DC Pr. III. 476. Rev. p. 81 Hook. K. exot. t. 2
γ. Moiniana DC Pr III. 476 Rev. p. 81 t. 21. Mex
δ. dichotoma DC. Pr III. 476 Rev. p. 81 Pf. 134 w A II. 343 Nov. Andal.
ε Mauritiana DC. Pr III. 476 Rev. p. 81 F. 458 var major H Dyck 1834 p. 371
ζ pendula Salm H. D. 1834 p. 371. S. 60 = R. floccosa Salm p. 5 Pf. 134

cassytha (Rh) var. pilosiuscula S. H-D. 1834. p. 228 = R. funalis minor fide Pf. 135

Cassytoides (Cact) Moç & Sess ined. fide DC Pr. = Rhipsalis Cassytha γ. Mex

castaneaeformis (M) Odier in Cat Hort Monv. 1846. = castaneoides f. Lab 37

castaneoides (M) ~~H. Paris~~ Lem. Hort univ. Lab. 37 = Wegeneri Ehrenb. f. F. 190 & S. 8

castaneoides (Cels) Cels Cat. ex S. 32 165 ?

Cataphracta (M) Mart 1832 p... = affinis DC. fid. Pf. 11. ex S. 15
catapyrita M Stieber ABZ. 1852. 89

catocantha (O) H Berol [illegible] ex Pf. 166 w A II. 352 F. 498 St Thomas
Catocantha fide S. 65

caulorhizus (Phyll) Lem Jard. fleur. I. p. 6 Lab. 416. ?

Cavendishii (Cer) Monv. non ap. F. 437 S. 48. 210 ?

Celsiana (M) Lem Cact. g. 1839 p. 41 w A II. 301 F. 207 S. 11. 95 Mx

Celsiana (O) Hort Paris Lab. 496. ?

Celsianus (Piloc) H. Paris
Cat Cels } S. 40 185 both quoted by S. P. Celsianus Posely. est forma P. senilis Bolivia

centeterius (Echo) Lehm. ex Pf. 65 w A II. 314. F. 295 Brasil
Bot Mag. 3974 S. 33. 166. Pf. Abb. I. t. 2.

centeterius (Ech) Hort. univ. tab ... = E. hybocentrus Lehm. fid. Salm F. 295

centricirrha (M) Lem Cact ~~p. 42~~ w A II 297. F. 230 S. 17. 123 Mx

URI BOTANICAL GARDEN
GE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
Missouri
Botanical
Garden

centrispina (M) Pfr. : Otto G. J. 1836. p. 258 Pf. 20 W. A. II. 287 Mex
[= Karwinskiana var. fide F. 224] S. 16. 116

cephalophorus Lem. : Ms Jard. des Plantes, Paris (had specimen)

cephalophora (M) S. F. 252 S. 20. 137 = M. compacta E. Mex

cephalophorus (Mel) Lem. nom. ap. F. ~~Pf.~~ 279.

Ceratistes (Echo) Otto . cx . Pf. 51. W. A. II. 310 F. 288 Gay Fl. Chil. III p. . . Chile
Ceratitis — S. 34 167
Hort = Kunzii, Forst. f. S. 167

ceratocentra (M) Berg : G. J. 1840. 130 W. A. II. 301 = erecta. Schd. Mex
& S. F.

ceratophora (M) Lehm. : Otto's G. J. 1835. p. 228 = M. magnimamma Haw fide Pf. 14
& S. 17

cereiformis (Pfeiff) S. : H. D. 1845. p. 41 t. XI W. A. II. 821 S. 61. 231 ?
(Rh). F. 454 Pf. Abb. II. 9

cereiformis (Echo ?) DC. Rev. 1829 p. 115 Pf. 68. W. A. II. 315 Cult Mex

Cereuscula (Rh) Haw. Phil Mag. 1830 p. 109. Pf. 137. W. A. II. 344 Brasil.
= Rh. Saglionis Lem. Fid. F. 461

chalybaeus (Cer) Otto Mss = polychaetus Reichb. fide W. A. II. 340 ?
Hort Berl. [= F. 382]. S. 45. 201

chiasta M. Stied. N. B. J. 1852 89 1853. 97
Chilensis (Cer) Hort = C. fulvibarbis Otto & Dietr. fide W. A. II. 339
= chilensis var.

Chiloensis (Cer) Colla pl. rar. hort. ripul. app. 2 p. 342 (1825) fide DC. Pr. III. 465 Chili
chilensis Pf. 86. W. A. II. 328 F. 376 S. 44. 198 Gay Fl. Chil. III . .

Eng : Bot. U S Pacif Expl. Exp. 1. 660
Chiloensis Pfr (Cer) Eng : Sill. Journ. n. ser. XVII. March 1854 p.

Chinensis (Cact) Roxb. fl. ind. II. p. 476 (1832) an Opuntia
Chionea M. Stied. N. B. J. 1851. 242

chiotilla (Cer) Weber Mss
chiridnole Cer Eng. Cact Gibb Calif Mex
chloranthus (Cactus) Berlandier in Memorias de la Comision Metamoras 1832.
= M. pusilla ?

chloranthus (C) E : C. B. 29 t. 37–38. Syn 22 W. A. V. 42 N. Mex

chlorocarpus (Cact Cer) HBK. n. g. sp. VI. 67 (1823) Kunth syn. III. 371 Quito
(Cer) DC. Pr. III. 466 Pf. 96. W. A. II. 331

chlorophthalmus (E.) Hook bot Mag t. 4373. W. A. II. 682 Mex
[a Cereus very near C. enneacanthus] Real del Mont

chlorotica (O) E. & B. : C. W. 38 t. VI f. 1–3. Syn. 35. W. A. V. 49.

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

14773A

MISSOURI B OTA
GEORGE E IGEL

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

chrysantha (M) H. Berol [ap DC. Pr. 460 nomen solum]

chrysacantha (M) H. Berol ~~[illegible]~~ fide Pf. 28. [Otto fide] W.A. II. 289. Mex
[Link & Otto fide Succ] pl. n. III. 102. F. 201 S. 12

chrysomallus (Pil) Lem = Van Houtte Fl. d. Gewchsh. III t. 242. adn. Mex
W. A. I. 335
S. 40. 185. Lab 276

ciliare s. ciliatum (Epiph) Hort = Rh. ramulosa Pf. fide Pf. 130.

cinerascens (Ech) ~~Lem~~ ~~S.~~ Salm Salm = G.Z. 1845. 387 W.A. III. 816 Chili
——— S. = S. 26 145 credited to Lemaire Gay Fl. Chil III p...

cinerascens (Cer) DC. Prev. 1829 p. 116 Pf. 101. H.D. 1834 p. 338. Coult Mex
W.A. II. 332 F. 374 S. 42. 188
β. crassior DC. = Pf. var. Jacobi = G.Z. 1856. 113

cinnabarinus (E) Hook Bot Mag t 4326. W.A. I. 334 S. 35. 176 Bolivia
morren, Annales, t. 174
(Eps) Salm = G.Z. 1855 p. 338 Lab. 288 [~~H. Ectorda~~ E!]

cirrifera (M) Mart 1832 p. 334 Pf. 13. 180. Succ. pl. n. III. 118. W.A. II. 285 Mex.
Pf. & Ott. Abb. I. t. F. 232 S. 18. 124
——— (M) Hort = angularis var γ. S. 18

cirrifera (C) Lab. 311. Mex

cirrosa (M) Bolz. G.Z. 1857. 95. Mex

citrina (M) Scheidw. . . . n F. 518 ?

Clava (M) Pf. = G.Z. 1840 p. 282 F. 246. 518 S. 19. 126. Mex
Bot. Mag. 4358

clavarioides (Cer.) Cat. Cact. H. Berol. 1833
——— = (O) H. Berol . . ex . Pf. 173. W.A. II. 353 F. 466 S. 72. 247 Chile
Gay Fl. Chil III –

clavata (M) Scheid. Bull Brux. II. 494 W.A. II. 296 = rhaphidacantha fide F. 243 & S. 19 Mex
[V?]

clavata (O) Eng Wisl Rep. 1848 note 12 Pl. Fendl (1849) p. 52 N. Mex
W.A. III. 896. S. 71. 244 E & B = C.W. 48 t. XXII. 1-3 & XXIV. f. 6. Syn. 46 ~~[illegible]~~

clavatus (Cer) Otto F. 391. ad Cer. resupinatum spectans S. 47. 204 Caracas

clavellina O. Eng Cat Gabb Calif

Closiana (M) Roum = Bull. Soc. Bot. Fr. II. 372 City Mexico.

coccinea (O) Hort = Tuna fide Pf. 161

coccineus (C) DC. Prod III. 469 non Salm = C. Salmianus f. S. H.D. 1844 p. 65
& F. 419 & S. 52.

coccineus (C) S. Dyck (non DC. Prod. III. 469) Pf. 122. Pf. Abb. I t. 15. ~~Mex~~ ? E
W.A. II. 338 F. 424 S. 51.

RI BOTANICAL GARDEN
GE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI
BOTANICAL
GARDEN

14773B

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI
BOTANICAL
GARDEN

coccineus (Echinocer) Eng. Wisl Rep. 1848 note 9 W A II 895 N Mex
(Cer) Eng. Pl. Fendl. (1849) p. 51 S. 42. 190.

coccineus (Echin) H. Berol = Ech. rhodacanthus Salm fid Pf. 50.

coccineus (Ech) Hort = Eps. rhodacantha S. fid F. 368

coccineus (Cactus) Gillies in Hb Kew an Cephalocereus (Mendoza)

cochenillifer (Cact) Lin. Spec. ed I. 1753. Cod Lin n. 3587. Hook. Bot. mag. t. 2741. & 2742 Jamaic. Amer.
coccinellif. (O) Mill Dict. ed. 8. n. 6 _ Haw. syn. 192. DC. Pr. III. 473 & Rev. p. 68 _ Pf. 150 W A II. 348.
F. 539 Pf Abb. I. t. 24 Nopalea S. 64

coccionellifera (Cact Op) DC. Pl. grass. t. 137 = O. Tuna fid Pf. 161
= O. nigricans fid Pf. 165

Cochenillifera (Cact) Moc & Sess. ined. = O. Hernandezii fid DC. Pr. 474

caerulans M. Stieb. A B Z 1851 281 1853 90

coerulea (O) Gillies . . . = O. sericea Don fid. Pf. 125. S 72

Coerulescens (Cer) Salm. H D (1834) p. 335. Pf. 85 W A II. 328 F. 381 Brasil
Bot. Mag. tab. 3922 (S. 45. 200 Pf Abb. II. 24)

cognatus (Cer) Hort = variabilis Pfeiff. fid F. 402

coindattii (O) Coder MS.

colicarpus (Cer) Booth Cat. = Ech. myriostigma fid F. 336

colubrinus (Cer) Otto F. 409 S. 50. 215 ?

Columbiana (M) S. 12. 99 Columbia

Columna Trajani (Cer) Karw. . . . cx Pf. 76. Journ. Pl. n. III. 131 Mex
Columna (P.C.) Lem. C. n. g. (1839) p. 9. F. 354 W A II. 325 S. 40. 184

columnaris (E) Pf. Abb. II. no. 14. in note Gay Fl. Chil. III p. Chili

columnaris (M) Hort = polythele var setosa S. fide F. 215

columnaris (M) Mart. 1832 p. 330. Pf. 9. Journ. pl. n. III. 111 Mex
W. A. II. 284
= polythele var. fid S. ap F. 214 & S. 15

columnaris (E) Pf. . Bot. Zt. 1847 373 W A I. 334 Chili
= marginatus S. f. S. 26.

columnaris (Cact) Moc & Sess (fid DC. Prod. III. 459 = M. geminispina) = acanthoplegma fide

Colvillii (Cer) H. Angl nom ap. F. 404 C. variabilis var fid S. 49.

comatus (Cer) Scheid. G. Z. 1840 p. 339 W A II. 341 = Pilocer. jubatus Salm F. 356 ?
(P.C.) Mittler. f. F. 357 S. 40

communis (Lep) Pf. in Allg. Z. 1835 p. 314 . . . W A II. 344 = Rh. Mittleri Foerst. 455 Bras
S. 62

Communis (Mel) DC. . . Mem. Mel. 138. t. 1. W A. II. 305 F. 268
S. 21

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

14774A

M SC B
GEORGE EN

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI
BOTANICAL
GARDEN

communis (Mel) Lk & Otto d. inc (1827) p 8 t. XI (= V. d. 9. B. V. f. Pr. III. 417) Ind. occ. & Am. aust.
DC. Rev (1829) p. 33 t. 6. DC. Pr. III. 460 ~~DC. Pl. gr. t. 112~~ d f. 42. Bot Mag. t. 3090
β. macrocephalus (β. magnus) H Berol Pf. 42 . . . var. = Pf. 43.
γ. oblongus
δ. viridis

Melocactus communis DC. Rev. p. 33. tab. VI.
= Cactus Melocactus ~~L~~inne DC. Plantes grasses pl. 112.
Germination Organogr. tab 48 fig 3
comprises probably several species (p. 34)

comparta (M) Eng Wisl Rep. 1848 note 32 & Bost. J. N. H. 1850 VI. p. 196 Chihuahua (N. L. Shull)
W. A. II. 894 Syn. 10 C. B. t. 74. f. 2
Hort. = microthele Muhlpf. f. S. 9

compressa (M) DC. Rev (1829) p. 112 = angularis H Berol Pf. 12 & S. 18 Coult. Mex
(Cer) Mill dict. No. 10 = C. triangularis fide Pf. 116.

compressus (Cer) Mill = C. triangularis F. 423

concinnus (Ech) Hook bot Mag. t. 4115 (1845) excl syn fide W. A. II. 813. ?
Monv. (fide F. 299) Icon. Cact. t. 1 Pf. Abb. II. t. 11 S. 32. 164

concinnus (Ech) Lem. = H. Cels. ex G. J. 1843. p. 156 ~~Monv~~ ~~Bot Mag t. 4115.~~ Monv. Icon. Cact. t. 1) Pf. Abb. II. t. 11. ?
S. 32 164 Chili ? Buenos Ayres ?

conferta (Rh) S. 60. 229. ?

confertus (Ech) H. Berol. nom. sp. F. 346

confinis (M) Hort. = discolor var. albida f. F. 206

confinis (M) Haage Catal. Cact. 1836 = albida Haage fide Pf. 28. var of discolor S. F. 206

conformis (Cer) H. Ber nom. sp. F. 394 S. 47. 203

Mex
conica (M) Haw. suppl (1819) 76 (apud DC. Pr. 460 nomen solum) Pf. 38. ?
W. A. II. 292 short descr.

conicus (Cer) H. Berol . . Cx. Pf. 97. W. A. II. 331 Mex.
= euphorbioides Haw fide F. 393 S. 47

coniflora (M) H Berol nom sp. F. 254 = discolor var S. coniflora S. 11

conoidea (M) DC. Rev. (1829) p. 112 DC. Mem. p. 6. t. 2. Pf. 35. Coulter Mex
W. A. II. 291 F. 252 S. 13. 104 Pf. Abb. II. t. 26
= (Ech) Posel. G. J. 1853. 107

. . . deus (C) E & B. . . Cact. p. 35 t. IV. f. 4-5 Syn 28 W. A. V. 45
belongs to [illegible]

BOTANICAL GARDEN
ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

14774B

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
Missouri
Botanical
Garden